

## RACINGFJÄDRAR

ART.NR	Frilängd mm	Dia.Inner mm	Fj.konst. N/mm	Fj.konst. Lbs/Inch	Fjädringsv. mm	Tot.Fj.kraft N	Pris på förfrågan!
<b>Racingfjädrar med mått i mm och N/mm.</b>							
<b>60mm inner diameter.</b>							
HRF 080100	80	60	100	571	49	4900	
HRF 080110	80	60	110	628	48	5280	
HRF 080120	80	60	120	685	47	5640	
HRF 080130	80	60	130	742	47	6110	
HRF 080140	80	60	140	799	45	6300	
HRF 080160	80	60	160	913	45	7200	
HRF 080180	80	60	180	1027	45	8100	
HRF 080190	80	60	190	1085	41	7790	
HRF 080200	80	60	200	1142	42	8400	
HRF 080210	80	60	210	1199	41	8820	
HRF 080220	80	60	220	1256	42	9240	
HRF 080240	80	60	240	1370	42	10080	
HRF 080260	80	60	260	1484	41	10660	
HRF 080280	80	60	280	1598	40	11200	
HRF 080300	80	60	300	1712	40	12000	
HRF 080310	80	60	310	1770	35	12000	
HRF 080320	80	60	320	1826	39	12480	
HRF 080340	80	60	340	1941	37	12580	
HRF 080360	80	60	360	2055	36	12960	
HRF 080380	80	60	380	2169	35	13300	
HRF 080400	80	60	400	2283	36	14400	
HRF 100060	100	60	60	343	67	4020	
HRF 100070	100	60	70	400	64	4480	
HRF 100080	100	60	80	449	64	5120	
HRF 100090	100	60	90	505	61	5490	
HRF 100100	100	60	100	561	60	6000	
HRF 100110	100	60	110	617	59	6490	
HRF 100120	100	60	120	673	58	6960	
HRF 100130	100	60	130	729	57	7410	
HRF 100140	100	60	140	786	56	7840	
HRF 100160	100	60	160	898	56	8960	
HRF 100170	100	60	170	954	54	9180	
HRF 100180	100	60	180	1010	54	9720	
HRF 100190	100	60	190	1066	50	9500	
HRF 100200	100	60	200	1122	53	10600	
HRF 100220	100	60	220	1234	50	11000	
HRF 100240	100	60	240	1347	50	12000	
HRF 100260	100	60	260	1459	49	12740	
HRF 100280	100	60	280	1571	48	13440	
HRF 100300	100	60	300	1683	47	14100	
HRF 100320	100	60	320	1796	46	14720	
HRF 100340	100	60	340	1908	45	15300	
HRF 100360	100	60	360	2020	44	15840	
HRF 100380	100	60	380	2132	43	16340	
HRF 100400	100	60	400	2244	44	17600	
HRF 120060	120	60	60	337	76	4560	
HRF 120070	120	60	70	393	77	5390	
HRF 120080	120	60	80	449	73	5840	
HRF 120090	120	60	90	505	72	6480	
HRF 120100	120	60	100	561	72	7200	
HRF 120110	120	60	110	617	71	7810	
HRF 120120	120	60	120	673	70	8400	

## RACINGFJÄDRAR

ART.NR	Frilängd mm	Dia.Inner mm	Fj.konst. N/mm	Fj.konst. Lbs/Inch	Fjädringsv. mm	Tot.Fj.kraft N	Pris på förfrågan!
HRF 120130	120	60	130	729	69	8970	
HRF 120140	120	60	140	786	68	9520	
HRF 120160	120	60	160	898	66	10560	
HRF 120180	120	60	180	1010	62	11160	
HRF 120200	120	60	200	1122	62	12400	
HRF 120220	120	60	220	1234	59	12980	
HRF 120240	120	60	240	1347	57	13680	
HRF 120260	120	60	260	1459	58	15080	
HRF 120280	120	60	280	1571	57	15960	
HRF 120300	120	60	300	1683	57	17100	
HRF 120320	120	60	320	1796	56	17920	
HRF 120340	120	60	340	1908	55	18700	
HRF 130070	130	60	70	400	81	5670	
HRF 130160	130	60	160	914	69	11040	
HRF 140050	140	60	50	285	94	4700	
HRF 140060	140	60	60	343	91	5460	
HRF 140070	140	60	70	393	74	5180	
HRF 140080	140	60	80	449	74	5920	
HRF 140090	140	60	90	505	73	6570	
HRF 140100	140	60	100	561	63	6300	
HRF 140110	140	60	110	617	67	7370	
HRF 140120	140	60	120	673	66	7920	
HRF 140130	140	60	130	729	65	8450	
HRF 140140	140	60	140	786	60	8400	
HRF 140150	140	60	150	842	81	12150	
HRF 140160	140	60	160	898	57	9120	
HRF 140180	140	60	180	1010	53	9540	
HRF 140200	140	60	200	1122	57	11400	
HRF 140220	140	60	220	1234	54	11880	
HRF 140240	140	60	240	1347	49	11760	
HRF 140260	140	60	260	1459	52	13520	
HRF 140280	140	60	280	1571	48	13440	
HRF 140300	140	60	300	1683	44	13200	
HRF 140360	140	60	360	2020	72	25920	
HRF 150090	150	60	90	505	86	7740	
HRF 150100	150	60	100	561	81	8100	
HRF 150120	150	60	120	673	79	9480	
HRF 150140	150	60	140	786	77	10780	
HRF 150150	150	60	150	842	75	11250	
HRF 150170	150	60	170	954	72	12240	
HRF 160040	160	60	40	228	106	4240	
HRF 160050	160	60	50	285	103	5150	
HRF 160060	160	60	60	342	101	6060	
HRF 160070	160	60	70	400	97	6790	
HRF 160080	160	60	80	457	98	7840	
HRF 160090	160	60	90	514	92	8280	
HRF 160100	160	60	100	571	93	9300	
HRF 160110	160	60	110	628	93	10230	
HRF 160120	160	60	120	685	86	10320	
HRF 160130	160	60	130	742	85	11050	
HRF 160140	160	60	140	799	84	11760	
HRF 160160	160	60	160	913	81	12960	

## RACINGFJÄDRAR

ART.NR	Frilängd mm	Dia.Inner mm	Fj.konst. N/mm	Fj.konst. Lbs/Inch	Fjädringsv. mm	Tot.Fj.kraft N	Pris på förfrågan!
HRF 160180	160	60	180	1027	83	14940	
HRF 160200	160	60	200	1142	78	15600	
HRF 160220	160	60	220	1256	80	17600	
HRF 160240	160	60	240	1370	74	17760	
HRF 160260	160	60	260	1484	74	19240	
HRF 180030	180	60	30	168	103	3090	
HRF 180040	180	60	40	224	97	3880	
HRF 180050	180	60	50	285	118	5900	
HRF 180060	180	60	60	342	115	6900	
HRF 180070	180	60	70	400	111	7770	
HRF 180075	180	60	75	400	107	8025	
HRF 180080	180	60	80	457	105	8400	
HRF 180090	180	60	90	514	101	9090	
HRF 180100	180	60	100	571	100	10000	
HRF 180110	180	60	110	628	101	11110	
HRF 180120	180	60	120	685	100	12000	
HRF 180130	180	60	130	742	99	12870	
HRF 180140	180	60	140	799	98	13720	
HRF 180160	180	60	160	913	94	15040	
HRF 180180	180	60	180	1027	91	16380	
HRF 180200	180	60	200	1142	87	17400	
HRF 200030	200	60	30	171	132	3960	
HRF 200040	200	60	40	228	132	5280	
HRF 200050	200	60	50	285	124	6200	
HRF 200060	200	60	60	342	121	7260	
HRF 200070	200	60	70	400	117	8190	
HRF 200080	200	60	80	457	119	9520	
HRF 200090	200	60	90	514	113	10170	
HRF 200100	200	60	100	571	114	11400	
HRF 200110	200	60	110	628	108	11880	
HRF 200120	200	60	120	685	107	12840	
HRF 200130	200	60	130	742	107	13910	
HRF 200140	200	60	140	799	105	14700	
HRF 200150	200	60	150	856	103	15450	
HRF 250030	250	60	30	168	158	4740	
HRF 250035	250	60	35	196	166	5810	
HRF 250040	250	60	40	224	158	6320	
HRF 250045	250	60	45	257	158	7110	
HRF 250050	250	60	50	281	158	7900	
HRF 250060	250	60	60	337	147	8820	
HRF 250070	250	60	70	393	143	10010	
HRF 250080	250	60	80	449	137	10960	
HRF 250090	250	60	90	505	140	12600	
HRF 250100	250	60	100	561	133	13300	
HRF 250110	250	60	110	617	133	14630	
HRF 250120	250	60	120	673	125	15000	
HRF 300020	300	60	20	112	203	4060	
HRF 300025	300	60	25	140	201	5025	
HRF 300030	300	60	30	168	195	5850	
HRF 300035	300	60	35	196	186	6510	
HRF 300040	300	60	40	224	189	7560	
HRF 300045	300	60	45	253	178	8010	

## RACINGFJÄDRAR

ART.NR	Frilängd mm	Dia.Inner mm	Fj.konst. N/mm	Fj.konst. Lbs/inch	Fjädringsv. mm	Tot.Fj.kraft N	Pris på förfrågan!
HRF 300050	300	60	50	281	179	8950	
HRF 300060	300	60	60	337	177	10620	
HRF 300070	300	60	70	393	173	12110	
HRF 300080	300	60	80	449	168	13440	
HRF 300090	300	60	90	505	162	14580	
HRF 300100	300	60	100	561	154	15400	
HRF 300150	300	60	150	842	145	21750	
<b>Racingfjädrar med mått i tum och lbs/inch</b>							
<b>2" (50,8mm) inner diameter. Längd 4" &amp; 5"</b>							
	<b>4"</b>						
HRT20040750	102	50,8	132	750	57	7524	
HRT20040800	102	50,8	140	800	54	7560	
HRT20040850	102	50,8	149	850	56	8344	
HRT20040900	102	50,8	158	900	54	8532	
HRT20040950	102	50,8	167	950	52	8684	
HRT20041000	102	50,8	175	1000	54	9450	
HRT20041050	102	50,8	184	1050	52	9568	
HRT20041100	102	50,8	193	1100	50	9650	
HRT20041150	102	50,8	202	1150	51	10302	
HRT20041200	102	50,8	210	1200	49	10290	
HRT20041250	102	50,8	219	1250	50	10950	
HRT20041300	102	50,8	228	1300	47	10716	
HRT20041350	102	50,8	237	1350	50	11850	
HRT20041400	102	50,8	246	1400	46	11316	
	<b>5"</b>						
HRT20050750	127	50,8	132	750	67	8844	
HRT20050800	127	50,8	140	800	65	9100	
HRT20050850	127	50,8	149	850	64	9536	
HRT20050900	127	50,8	158	900	66	10428	
HRT20050950	127	50,8	167	950	63	10521	
HRT20051000	127	50,8	175	1000	61	10675	
HRT20051050	127	50,8	184	1050	63	11592	
HRT20051100	127	50,8	193	1100	61	11773	
HRT20051150	127	50,8	202	1150	63	12726	
HRT20051200	127	50,8	210	1200	60	12600	
HRT20051250	127	50,8	219	1250	58	12702	
HRT20051300	127	50,8	228	1300	59	13452	
HRT20051350	127	50,8	237	1350	56	13272	
HRT20051400	127	50,8	246	1400	59	14514	
<b>2,5" (64mm) inner diameter. Längd 6", 8", 10", 12", 14" &amp; 16"</b>							
	<b>6"</b>						
HRT25060300	153	64	53	300	100	5300	
HRT25060325	153	64	57	325	98	5586	
HRT25060350	153	64	61	350	101	6161	
HRT25060375	153	64	66	375	99	6534	
HRT25060400	153	64	70	400	97	6790	
HRT25060425	153	64	74	425	93	6882	
HRT25060450	153	64	79	450	92	7268	

## RACINGFJÄDRAR

ART.NR	Frilängd mm	Dia.Inner mm	Fj.konst. N/mm	Fj.konst. Lbs/Inch	Fjädringsv. mm	Tot.Fj.kraft N	Pris på förfrågan!
HRT25060475	153	64	83	475	94	7802	
HRT25060500	153	64	88	500	92	8096	
HRT25060525	153	64	92	525	94	8648	
HRT25060550	153	64	96	550	90	8640	
HRT25060575	153	64	101	575	88	8888	
HRT25060600	153	64	105	600	90	9450	
HRT25060650	153	64	114	650	89	10146	
HRT25060700	153	64	123	700	88	10824	
HRT25060750	153	64	131	750	86	11266	
HRT25060800	153	64	140	800	85	11900	
HRT25060850	153	64	149	850	84	12516	
HRT25060900	153	64	157	900	81	12717	
HRT25060950	153	64	166	950	80	13280	
HRT25061000	153	64	175	1000	77	13475	
HRT25061100	153	64	193	1100	78	15054	
HRT25061200	153	64	210	1200	78	16380	
HRT25061300	153	64	228	1300	73	16644	
	<b>8"</b>						
HRT25080150	203	64	26	150	148	3848	
HRT25080200	203	64	35	200	142	4970	
HRT25080250	203	64	44	250	135	5940	
HRT25080300	203	64	53	300	132	6996	
HRT25080325	203	64	57	325	129	7353	
HRT25080350	203	64	61	350	128	7808	
HRT25080375	203	64	66	375	126	8316	
HRT25080400	203	64	70	400	122	8540	
HRT25080425	203	64	74	425	119	8806	
HRT25080450	203	64	79	450	124	9796	
HRT25080475	203	64	83	475	121	10043	
HRT25080500	203	64	88	500	118	10384	
HRT25080525	203	64	92	525	114	10488	
HRT25080550	203	64	96	550	118	11328	
HRT25080575	203	64	101	575	115	11615	
HRT25080600	203	64	105	600	110	11550	
HRT25080650	203	64	114	650	110	12540	
HRT25080700	203	64	123	700	109	13407	
HRT25080750	203	64	131	750	106	13886	
HRT25080800	203	64	140	800	106	14840	
HRT25080850	203	64	149	850	104	15496	
HRT25080900	203	64	158	900	102	16116	
HRT25080950	203	64	166	950	105	17430	
HRT25081000	203	64	175	1000	105	18375	
HRT25081100	203	64	193	1100	92	17756	
HRT25081200	203	64	210	1200	100	21000	
HRT25081300	203	64	228	1300	94	21432	
	<b>10"</b>						
HRT25100150	254	64	26	150	177	4602	
HRT25100175	254	64	31	175	172	5332	
HRT25100200	254	64	35	200	172	6020	
HRT25100225	254	64	39	225	162	6318	
HRT25100250	254	64	44	250	163	7172	
HRT25100275	254	64	48	275	161	7728	
HRT25100300	254	64	53	300	161	8533	
HRT25100350	254	64	61	350	156	9516	
HRT25100375	254	64	66	375	154	10164	

## RACINGFJÄDRAR

ART.NR	Frilängd mm	Dia.Inner mm	Fj.konst. N/mm	Fj.konst. Lbs/Inch	Fjädringsv. mm	Tot.Fj.kraft N	Pris på förfrågan!
HRT25100400	254	64	70	400	151	10570	
HRT25100425	254	64	74	425	147	10878	
HRT25100450	254	64	79	450	145	11455	
HRT25100475	254	64	83	475	140	11620	
HRT25100500	254	64	88	500	146	12848	
HRT25100525	254	64	92	525	142	13064	
HRT25100550	254	64	96	550	137	13152	
HRT25100575	254	64	101	575	134	13534	
HRT25100600	254	64	105	600	138	14490	
HRT25100650	254	64	114	650	139	15846	
HRT25100700	254	64	123	700	129	15867	
HRT25100750	254	64	131	750	128	16768	
HRT25100800	254	64	140	800	126	17640	
HRT25100850	254	64	149	850	116	17284	
HRT25100900	254	64	158	900	123	19434	
	<b>12"</b>						
HRT25120150	305	64	26	150	209	5434	
HRT25120175	305	64	31	175	204	6324	
HRT25120200	305	64	35	200	194	6790	
HRT25120225	305	64	39	225	195	7605	
HRT25120250	305	64	44	250	195	8580	
HRT25120275	305	64	48	275	183	8784	
HRT25120300	305	64	53	300	183	9699	
HRT25120325	305	64	57	325	181	10317	
HRT25120350	305	64	61	350	178	10858	
HRT25120375	305	64	66	375	177	11682	
HRT25120400	305	64	70	400	173	12110	
HRT25120425	305	64	74	425	169	12506	
HRT25120450	305	64	79	450	167	13193	
HRT25120500	305	64	88	500	170	14960	
HRT25120550	305	64	96	550	161	15456	
HRT25120600	305	64	105	600	162	17010	
	<b>14"</b>						
HRT25140150	356	64	26	150	238	6188	
HRT25140155	356	64	27	155	242	6534	
HRT25140165	356	64	29	165	237	6873	
HRT25140170	356	64	30	170	229	6870	
HRT25140175	356	64	31	175	232	7192	
HRT25140200	356	64	35	200	222	7770	
HRT25140225	356	64	39	225	222	8658	
HRT25140250	356	64	44	250	225	9900	
HRT25140275	356	64	48	275	212	10176	
HRT25140300	356	64	53	300	213	11289	
HRT25140325	356	64	57	325	210	11970	
HRT25140350	356	64	61	350	207	12627	
HRT25140375	356	64	66	375	206	13596	
HRT25140400	356	64	70	400	203	14210	
HRT25140450	356	64	79	450	196	15484	
HRT25140500	356	64	88	500	189	16632	
	<b>16"</b>						
HRT25160500	406	64	88	500	185	16280	
HRT25160600	406	64	105	600	193	20265	

## RACINGFJÄDRAR

ART.NR	Frilängd mm	Dia.Inner mm	Fj.konst. N/mm	Fj.konst. Lbs/Inch	Fjädringsv. mm	Tot.Fj.kraft N	Pris på förfrågan!
<b>RACINGFJÄDRAR FORMELBILSTYP LÅNGA (36mm Inner diameter.)</b>							
Blir ca 120mm långa vid 1800N belastning!							
HRF3 C0250	160	36	43,8	250	88	3854	
HRF3 C0300	154	36	52,6	300	84	4418	
HRF3 C0325	152	36	56,9	325	76	4324	
HRF3 C0350	150	36	61,3	350	81	4965	
HRF3 C0375	146	36	65,7	375	78	5125	
HRF3 C0400	144	36	70,1	400	76	5328	
HRF3 C0425	142	36	74,5	425	72	5364	
HRF3 C0450	140	36	78,8	450	62	4886	
HRF3 C0500	136	36	87,6	500	68	5957	
HRF3 C0550	135	36	96,4	550	57	5495	
HRF3 C0600	134	36	105,1	600	59	6201	
HRF3 C0650	131	36	113,9	650	59	6720	
HRF3 C0700	130	36	122,6	700	52	6375	
HRF3 C0750	129	36	131,4	750	54	7096	
HRF3 C0800	129	36	140,2	800	58	8132	
HRF3 C0900	128	36	157,7	900	57	8989	
HRF3 C1000	127	36	175,2	1000	55	9636	
HRF3 C1200	126	36	210,2	1200	49	10300	
HRF3 C1400	125	36	245,3	1400	52	12756	
HRF3 C1600	123	36	280,3	1600	41	11492	
HRF3 C1800	122	36	315,4	1800	41	12931	
HRF3 C2000	122	36	350,4	2000	41	14366	
<b>RACINGFJÄDRAR FORMELBILSTYP KORTA (36mm Inner diameter.)</b>							
Blir ca 70mm långa vid 1990N belastning!							
HF3 C0500	93	36	87,6	500	45	3942	
HF3 C0550	91	36	96,4	550	47	4531	
HF3 C0600	89	36	105,1	600	43	4519	
HF3 C0650	88	36	113,9	650	44	5012	
HF3 C0700	87	36	122,6	700	41	5027	
HF3 C0750	86	36	131,4	750	43	5650	
HF3 C0800	85	36	140,2	800	39	5468	
HF3 C0850	84	36	148,9	850	40	5956	
HF3 C0900	83	36	157,7	900	36	5677	
HF3 C0950	82	36	166,4	950	37	6157	
HF3 C1000	82	36	175,2	1000	39	6833	
HF3 C1100	81	36	192,7	1100	36	6937	